



#### Empowering you to do your best.

We believe in moving the dental community forward.

We believe that simplicity is elegant, knowledge is imperative, and deep understanding is the foundation of all we do.

We believe in innovation. Comfort within your work-life. And the right to excess energy at the end of the day.

At A-dec, we believe in empowering dentists to focus on what truly matters most: your patients.

## WE BELIEVE.



# EXPERIENCE THE NEW A-DEC 500.



#### A legend, redefined.

In a world of complex technology and noise, we bring you intelligent simplicity and infallible peace of mind. Designed to function holistically and intuitively, the new A-dec 500 quietly slips into the background, reacting to your every move, without pause. Experience the next level A-dec 500.

**OPTIMAL ACCESS** Get in close and position everything you need within reach. **FLEXIBLE INTEGRATION** What you need today, with a flexible design that lets you configure the clinical instruments you choose.

**INTELLIGENT CONTROL** Customizable and easy to navigate. Add additional instruments now or later. You're in control.

**SUPERIOR CARE** Comfort and stability add up to a superior patient experience.








#### Perfect proximity.

Everything you need is easy to position and comfortably within reach. Close to your patient, your posture is healthy, your view is clear and your reach is minimal. It's amazing how time flies when you're comfortable.

# EFFORTLESS ADJUSTMENTS.



#### The freedom to focus.

It's true. You can activate, deactivate, position and place your instruments without looking away from your procedure, and without a conscious thought. We've worked hard to keep the equipment and technology simple to maintain your confidence in front of patients.

**POSITIVE POSITIONING** Smoothly and precisely situate the delivery where you want it, and count on it to stay.

**ONE-HANDED ADJUSTMENTS** Effortlessly position the delivery system with one hand – or finger if you'd like.

**AMBIDEXTROUS DELIVERY** Go from left to right-handed delivery in seconds. The centrally located handle and screen are reachable and visible from either side.

**DELUXE PLUS TOUCHPAD** Dynamically displays only the function that you are in, for uncomplicated ease of use.

**AUTOMATIC BRAKING** Grasp the handle and the flexarm brake automatically releases. We call it capacitive activation, but you'll just call it effortless.











### [02]

# EXPERIENCE FLEXIBLE INTEGRATION.



#### Forward-thinking design.


A-dec products are engineered to last, but technology is ever-changing. With a flexible, forward-thinking design, the A-dec 500 perfects your practice today – and grows with it tomorrow.

# SKILFUL MOVEMENTS.

44

I love this delivery system!
It moves effortlessly, feels
weightless in my hand and the
integrated technology makes
it efficient and easy to use.

MEGAN NEVILLS, DMD ALOHA, OREGON, USA 777



#### Empowered choice.

We worked diligently to ensure that the new A-dec 500 delivery system integrates with most clinical devices, so that you can work with the instruments you choose. Even if your future practice goals evolve, you have the option to reconfigure your delivery and embrace new capabilities.


**CUSTOMISABLE PLACEMENT** With six positions on the control head, you can integrate practically any combination: from cameras and scalers to curing lights and electric motors.

**ADJUSTABLE HANDPIECE HOLDERS** Each position is movable, so you can tilt the handpieces downward to easily grip when in use, and return upright for safety when they're not.





# PRACTICE PERFECT.



#### Powerful as electric. Light as air.

ONE HANDPIECE, MULTIPLE APPLICATIONS Primea<sup>™</sup> Advanced Air<sup>®</sup> from W&H<sup>®</sup> is the world's first air-driven, high-speed handpiece with an adjustable bur speed and constant removal rate – even with increasing pressure. Integrated with the A-dec 500\*, this award-winning new technology is compact and lightweight, yet powerful and precise. A sensor in the handpiece head

constantly measures the rotation speed of the bur on the tooth, immediately adjusting the air supply to maintain maximum treatment efficacy at all times. With one handpiece, you can efficiently achieve a complete high-speed range of procedures, opening new possibilities for your practice. Who says perfection isn't achievable?








A-dec 500 system

# INSPIRED CONFIDENCE.



#### Unassumingly responsive.

Built-in details and holistic control let you seamlessly access, activate and deactivate your clinical instruments and devices without giving it a thought. In essence, the equipment disappears, allowing you to focus on dentistry.

**INTELLIGENT SCREEN** Visual, iconic controls only display the settings that you need. **AUTOMATED ACTIVATION** Screen readout activates when you pick up your instrument.

**LED COOLANT INDICATOR** Lights up when a handpiece is lifted out of the holder, so that you can make adjustments without second guessing.

**DUAL OPERATOR SETTINGS** Access your personalised settings on shared equipment with a single touch.













# **EXPERIENCE**

Sleek, yet supportive.

Gentle, supportive comfort puts your patients at ease for a positive experience that sets you apart.

# **CONSISTENT COMFORT.**



#### Whole body support.

Is comfort a feeling or a science? It's both. By reducing pressure points and streamlining support through scientific pressure mapping, the A-dec 500 ensures patient comfort during procedures. And when your patient is relaxed, so are you.

**DOUBLE-ARTICULATING GLIDING HEADREST** Adjust to your patient for consistent support.

**SLEEK BACKREST** There is a purpose behind the flexible thin back. The stingray shape reflects the anatomy of the patient's body, offering full support while leaving you space to move in close.

**SECURE ARMRESTS** Support patient weight when they need it, and move out of the way when they don't.

**TOEBOARD TILT** When the chair reclines, the toeboard imperceptibly raises a full 23 cm (9") for a gentle cradling effect. All your patient feels is relaxed.







## ATTENTIVE DESIGN.

#### **INSTANT COMFORT**

Getting comfortable in the chair isn't the patient's responsibility. It's ours. So, we designed it to support your patient's entire body from the moment they sit down.





#### **BALANCED STABILITY**

Arms balance tubing weight so that you can effortlessly move handpieces without tugging or fatiguing your wrists.







INCREASED WEIGHT CAPACITY UP TO 227 KG (500 POUNDS)









#### Tailored individuality.

Colour and style, delivery options, foot controls and instruments. You deserve to work your way, right down to the last stitch. At A-dec, we believe in choice.

# WORK THE WAY THAT YOU WANT.

# Delivery options for the way that you practice.

There are three sides to this equation: you, your dental team and your patients. A-dec gives you options to choose a setup that works the way you do, while offering comfort and reassurance for your patients.


Isn't that what we all want?



#### ALL-AROUND ERGONOMIC COMFORT.

533 Continental delivery, disc foot control, 572L LED light.





OUT OF SIGHT, OUT OF MIND.

541 12 o'clock delivery, lever foot control.

INTEGRATED AND STREAMLINED.

532 Traditional delivery, lever foot control, 572L LED light.









Formed colours




# FLEXIBLE OPTIONS.



#### We believe in choice.

As no two doctors are exactly the same, our equipment options let you customise the most efficient setup for you and your team.



#### SPECIFICATIONS AND DETAILS.

A-dec 511 dental chair				
Base height range	Low point: 343 mm (13.5"), 368 mm (14.5") with A-dec 300 dual mount. High point: 800 mm (31.5")			
Backrest	Ultra-thin 25 mm (1") flexible backrest* (*Based on formed upholstery)			
Headrest	Dual-articulating gliding headrest, lever release			
Armrests	Two-position armrests			
Chair swivel	60° (30° each side of centre)			
Power supply	300-watt			
Chair control	Touchpad on delivery system or foot switch			
Lift system	Soft start/stop hydraulic drive			
Mount style	Radius left/right Dedicated left or right post mount			
Upholstery options	Sewn or formed			
UL load rating	UL rated to 227 kg (500 lb) maximum patient load (load rating is based on UL requirement of 4 times (907 kg/2000 lb) overload static testing)			

Support centre				
	461 support centre			
	Standard	Optional		
Cuspidor (with programmable cup fill and bowl rinse timer)	Vitreous china			
Cuspidor rotation	± 45°			
Water system	None	2-litre bottle		
Accommodates amalgam separator		Yes (amalgam separator or water bottle)		
Mount style	Rear left/right hub mount			
Light/monitor mount	No	No		

Dental lights				
	500 LED light			
Colour temperature	5,000 K			
Light pattern	95 mm x 145 mm at 700 mm focal distance (3.8" x 5.7" at 27.6")			
Light intensity (mode selection)	Low: 15,000 lux (1394 fc) Medium: 25,000 lux (2323 fc) High: 30,000 lux (2787 fc) Cure-safe: 23,000 lux (2137 fc) yellow light			
BTUs per hour	77			
Power consumption	22-watt			
Light control	Touchpad, local control or automatic on/off via chair pre-sets			
Light source life expectancy	>40,000 hours			

MONITOR MOUNTS				
	A-dec 482	A-dec 381	A-dec 382 Radius	
Tilt style	Floating	Floating	Locking	
Maximum flat-panel monitor weight	9 kg (20 lbs)	9 kg (20 lbs)	14 kg (31 lbs)	
Monitor mount tilt	±45°	±45°	±45°	
Mount location	Light post	Light post	Chair (single or dual)	

Delivery systems					
	500 Radius		500 12 O'Clock		
Models	A-dec 532 traditional A-dec 533 continental		A-dec 541 12 o'clock duo		
	Standard	Option	Standard	Option	
Touchpad	Deluxe Plus	N/A	Deluxe	Standard, none	
Foot control	Accessory button	Lever style	Wet/dry disc with chip blower	Lever	
Left/right conversion	Yes	N/A	Yes		
Handpiece holder positions	Traditional – 5 + syringe Continental – 5 + syringe	Warm water syringe continental – 5 + syringe	Traditional – 4 + syringe	Warm water syringe	
Handpiece tubing	Silicone		Silicone		
Intraoral light source	Quad-volt		Quad-volt		
Arm system	Positive positioning, balanced flex arm with air brake		Manual height adjustment		
Mount options	A-dec 511		Preference Collection A-dec Inspire, stand-alone		
Brake handles	N/A		None		
Water system	2-litre bottle		2-litre bottle		
Integration	4.5 m (15 ft) USB 2.0 cable/ up to six control modules	Powered USB hub	4.5 m (15 ft) USB 2.0 cable/up to five control modules	Powered USB hub	

Assistant's instruments						
	551 assistant's instrumentation		541 12 O'Clock duo system		545 12 O'Clock assistant's instrumentation	
	Standard	Option	Standard	Option	Standard	Option
Air/water syringe		Quick-disconnect (QD) syringe Warm water QD syringe	QD syringe	Warm water QD syringe	QD syringe	Warm water QD syringe
Touchpad	Standard touchpad		None	Standard touchpad	None	Standard touchpad
Vacuum instruments	EasyFlex tubing 1 x saliva ejector (SE) 1 x high-volume evacuation (HVE)	HVE, dual turret	1 x saliva ejector (SE) 1 x high-volume evacuation (HVE)	HVE, dual turret	1 x saliva ejector (SE) 1 x high-volume evacuation (HVE)	HVE, dual turret
Vacuum tubing	EasyFlex		EasyFlex		EasyFlex	
Positioning	Horizontal adjustment	Horizontal and vertical adjustments	Manual vertical adjustment		Manual vertical adjustment	
Mount location	Chair back mount		Cabinet or floor mount		Cabinet or floor mount	

# A legend, realeximeal

#### A-dec headquarters

2601 Crestview Drive

Newberg, Oregon 97132 USA

T: 1.800.547.1883 within USA/CAN

T: +1.503.538.7478 outside USA/CAN

**F:** +1.503.538.0276

a-dec.com

#### A-dec Australia

T: 1.800.225.010 within AUS

T: +61.(0)2.8332.4000 outside AUS

#### A-dec China

T: 400.600.5434 within CN

T: +86.571.89026088 outside CN

#### **A-dec United Kingdom**

**T:** 0800.233285 within UK

T: +44.(0).24.7635.0901 outside UK





A-dec, the A-dec logo, A-dec Inspire, Cascade, Century Plus, Continental, Decade, ICX, ICV, Performer, Preference, Preference Collection, Preference ICC, Radius and reliablecreativesolutions are trademarks of A-dec Inc. and are registered in the United States and other countries. A-dec 500, A-dec 400, A-dec 300, A-dec 200 and EasyFlex are also trademarks of A-dec Inc. None of the trademarks or trade names in this document may be reproduced, copied or manipulated in any manner without the express written approval of the trademark owner.

Certain touchpad symbols and icons are proprietary to A-dec Inc., Any use of these symbols or icons, in whole or in part, without the express written consent of A-dec Inc., is strictly prohibited.

Advanced Air®, Alegra®, Endea®, Proxeo®, Synea® and W&H® are registered trademarks of W&H Dentalwerk Bürmoos GmbH (Austria). Primea™ is also a trademark of W&H Dentalwerk Bürmoos GmbH (Austria)

©2019 A-dec Inc. All rights reserved. 85.0850.25/BB/5M/04-19/Rev A.