







Dental Materials













Contents

	2-5
SILICONE IMPRESSION MATERIALS	6-3
Table of impression techniques	
A-Silicone: Bonasil A+ product range	
A-Silicone: Bonasil A+ Putty	
A-Silicone: Bonasil A+ Heavy	
A-Silicone: Bonasil A+ Mono	
A-Silicone: Bonasil A+ Regular	
A-Silicone: Bonasil A+ Light HTS	
A-Silicone: Bonasil A+ Light	
A-Silicone: Bonasil A+ Light Extra	
A-Silicone: Bonasil A+ Alginate Free	
A-Silicone: Bona-Bite	
A-Silicone: Bona-Bite Air	18
A-Silicone: Bona-Bite Crystal Vision	19
Scannable A-Silicone: Bonascan product range	
Scannable A-Silicone: Bonascan Putty	2
Scannable A-Silicone: Bonascan Heavy	22
Scannable A-Silicone: Bonascan Mono	
Scannable A-Silicone: Bonascan Light	
Scannable A-Silicone: Bonascan Bite Air	
C-Silicone: Bonasil Putty	
C-Silicone: Bonasil Light	
C-Silicone: Bonasil Activator	
Laboratory A-Silicone: Bonasil A+ Lab Putty	
Laboratory A-Silicone: Bonasil A+ Gingival	اک
Laboratory A-Silicone: Bonasep	3 ఇ
Laboratory A-Silicone: Bonasil A+ Crystal Vision	رک
Laboratory C-Silicone: Bonalabor Putty	34
AESTHETIC FILLING MATERIALS	
Table of indications	21
LC Nanohybrid Composite: Nanoceram-Bright	36-38
LC Posterior Composite: Bright Posterior	36-38
LC Posterior Composite: Bright PosteriorLC Microhybrid Composite: Bright Light	36-38 39 40-4
LC Posterior Composite: Bright Posterior LC Microhybrid Composite: Bright Light LC Flowable Composite: Nanoceram-Bright Flow	36-38 39 40-4 42
LC Posterior Composite: Bright Posterior LC Microhybrid Composite: Bright Light LC Flowable Composite: Nanoceram-Bright Flow LC Flowable Composite: Bright Light Flow	36-38 39 40-44 42 44
LC Posterior Composite: Bright Posterior	36-38 39 40-4 42 44 44
LC Posterior Composite: Bright Posterior	36-38 39 40-4 42 42 44 44 44
LC Posterior Composite: Bright Posterior LC Microhybrid Composite: Bright Light LC Flowable Composite: Nanoceram-Bright Flow LC Flowable Composite: Bright Light Flow DC Flow Core Build-Up: Bright Flow Core CC Hybrid Composite: Bright Light Hybrid LC Pit & Fissure Sealant	36-36 3° 40-4′ 4′ 4′ 4′ 4′ 4′ 4′
LC Posterior Composite: Bright Posterior	36-36 3° 40-4′ 4′ 4′ 4′ 4′ 4′ 4′
LC Posterior Composite: Bright Posterior LC Microhybrid Composite: Bright Light LC Flowable Composite: Nanoceram-Bright Flow LC Flowable Composite: Bright Light Flow DC Flow Core Build-Up: Bright Flow Core CC Hybrid Composite: Bright Light Hybrid LC Pit & Fissure Sealant AC Temporary: Bright Temporary C & B	36-38 39 40-4 42 44 49 49 49
LC Posterior Composite: Bright Posterior LC Microhybrid Composite: Bright Light LC Flowable Composite: Nanoceram-Bright Flow LC Flowable Composite: Bright Light Flow DC Flow Core Build-Up: Bright Flow Core CC Hybrid Composite: Bright Light Hybrid LC Pit & Fissure Sealant AC Temporary: Bright Temporary C & B	36-38 39 40-4 42 44 44 45 48-5
LC Posterior Composite: Bright Posterior. LC Microhybrid Composite: Bright Light. LC Flowable Composite: Nanoceram-Bright Flow. LC Flowable Composite: Bright Light Flow. DC Flow Core Build-Up: Bright Flow Core. CC Hybrid Composite: Bright Light Hybrid. LC Pit & Fissure Sealant. AC Temporary: Bright Temporary C & B.	36-38 39 40-4 40-4 44 44 44 47 48-5
LC Posterior Composite: Bright Posterior. LC Microhybrid Composite: Bright Light. LC Flowable Composite: Nanoceram-Bright Flow. LC Flowable Composite: Bright Light Flow. DC Flow Core Build-Up: Bright Flow Core. CC Hybrid Composite: Bright Light Hybrid. LC Pit & Fissure Sealant. AC Temporary: Bright Temporary C & B	36-38 39 40-4 40-4 44 44 49 49 48-5
LC Posterior Composite: Bright Posterior. LC Microhybrid Composite: Bright Light. LC Flowable Composite: Nanoceram-Bright Flow. LC Flowable Composite: Bright Light Flow. DC Flow Core Build-Up: Bright Flow Core. CC Hybrid Composite: Bright Light Hybrid. LC Pit & Fissure Sealant. AC Temporary: Bright Temporary C & B	36-38 39 40-4 40-4 44 44 49 49 49 49 40 40 40 40 40 40 40 40 40 40 40 40 40
LC Posterior Composite: Bright Posterior. LC Microhybrid Composite: Bright Light. LC Flowable Composite: Nanoceram-Bright Flow. LC Flowable Composite: Bright Light Flow. DC Flow Core Build-Up: Bright Flow Core. CC Hybrid Composite: Bright Light Hybrid. LC Pit & Fissure Sealant. AC Temporary: Bright Temporary C & B	36-38 39 40-4 40-4 44 44 49 49 49 49 40 40 40 40 40 40 40 40 40 40 40 40 40
LC Posterior Composite: Bright Posterior. LC Microhybrid Composite: Bright Light. LC Flowable Composite: Nanoceram-Bright Flow. LC Flowable Composite: Bright Light Flow. DC Flow Core Build-Up: Bright Flow Core. CC Hybrid Composite: Bright Light Hybrid. LC Pit & Fissure Sealant. AC Temporary: Bright Temporary C & B	36-38 39 40-4 40-4 44 44 44 45 48-5 50 50
LC Posterior Composite: Bright Posterior. LC Microhybrid Composite: Bright Light LC Flowable Composite: Nanoceram-Bright Flow LC Flowable Composite: Bright Light Flow DC Flow Core Build-Up: Bright Flow Core CC Hybrid Composite: Bright Light Hybrid LC Pit & Fissure Sealant AC Temporary: Bright Temporary C & B ADHESIVES & LINERS	36-38 39 40-4 40-4 41 42 48-5 50 52-53
LC Posterior Composite: Bright Posterior LC Microhybrid Composite: Bright Light LC Flowable Composite: Nanoceram-Bright Flow LC Flowable Composite: Bright Light Flow DC Flow Core Build-Up: Bright Flow Core CC Hybrid Composite: Bright Light Hybrid LC Pit & Fissure Sealant AC Temporary: Bright Temporary C & B. ADHESIVES & LINERS LC Cavity Liner LC Bonding CC Bonding Etching Gel ORTHODONTIC ADHESIVES LC Bracket Adhesive	36-38 39 40-4 40-4 41 42 42 48-5 50 50 52-53
LC Posterior Composite: Bright Posterior. LC Microhybrid Composite: Bright Light. LC Flowable Composite: Nanoceram-Bright Flow. LC Flowable Composite: Bright Light Flow. DC Flow Core Build-Up: Bright Flow Core. CC Hybrid Composite: Bright Light Hybrid. LC Pit & Fissure Sealant. AC Temporary: Bright Temporary C & B. ADHESIVES & LINERS. LC Cavity Liner. LC Bonding. CC Bonding. Etching Gel. ORTHODONTIC ADHESIVES LC Bracket Adhesive. AMALGAM FILLING MATERIALS.	36-38 39 40-4 40-4 44 44 45 48-5 50 52-50 54-5
LC Posterior Composite: Bright Posterior. LC Microhybrid Composite: Bright Light. LC Flowable Composite: Nanoceram-Bright Flow. LC Flowable Composite: Bright Light Flow. DC Flow Core Build-Up: Bright Flow Core. CC Hybrid Composite: Bright Light Hybrid. LC Pit & Fissure Sealant. AC Temporary: Bright Temporary C & B ADHESIVES & LINERS. LC Cavity Liner. LC Bonding	36-38 39 40-4 41 42 44 45 46 47 48-57 50 52-57 54-57
LC Posterior Composite: Bright Posterior. LC Microhybrid Composite: Bright Light. LC Flowable Composite: Nanoceram-Bright Flow. LC Flowable Composite: Bright Light Flow. DC Flow Core Build-Up: Bright Flow Core. CC Hybrid Composite: Bright Light Hybrid. LC Pit & Fissure Sealant. AC Temporary: Bright Temporary C & B. ADHESIVES & LINERS. LC Cavity Liner. LC Bonding. CC Bonding. Etching Gel. ORTHODONTIC ADHESIVES LC Bracket Adhesive. AMALGAM FILLING MATERIALS.	36-38 39 40-4 40-4 41 42 44 45 46 47 48-57 50 51 52-53 55 55

page



DMP is a leading manufacturer of high-quality dental materials for the global dental market, committed to clinical excellence, reliability and personalized customer service.

History outline

Established in 1985, DMP has over 30 years of experience in the design, development, manufacture and distribution of highquality dental materials. It specializes in three main product groups providing these either with its own brand or as private label. The largest group of products are the precision silicone impression materials both for the dentist and the dental laboratory. The latest additions to this group are the scannable silicones which are suitable for use with all 3D scanning systems for digital dentistry without requiring any additional surface treatment. The second major group of products are the composites for aesthetic dentistry including bonding and etching materials. They are primarily resin-based materials and are available in light, self or dual cure varieties. The last group is the amalgams which were launched with the establishment of DMP and consist of various types for every need. These products have evolved and grown over the years meeting customer needs and the latest developments in the dental industry. Today DMP successfully markets its products worldwide and has established DMP USA to provide specialized service for its fast-growing presence in the North American market.






Headquarters

The privately-owned headquarters are situated in Athens, Greece and specifically in the industrial zone of Markopoulo which is 10 minutes from Athens international airport and 30 minutes from the international port of Piraeus. Their location is ideally suited for welcoming visitors as well as for the shipment of goods by all modes of transport all over the world.





Products you can trust

The modern premises have been designed from their conception specifically for DMP, with the particular needs of each product line in mind. Years of experience in production have led to the smallest details in manufacturing being considered and designed in the best possible way, with the finest raw materials incorporated to produce premium products. Its state-of-the-art laboratory is fully equipped with all the modern instruments to support its strict quality control in production, test requirements for the international standards as well as its continuous research program. Above all it is staffed by high-level professionals with excellent training in each specialized field. All the above guarantee DMP's commitment to products and services of the highest level.



2

COMPANY PR







Certifications

Quality assurance is foremost in all areas of operation and DMP is certified with the quality systems ISO 9001 and ISO 13485. All of its products are categorized as medical devices and are CE marked according to the current certifications and they have received clearance by the U.S. Food and Drug Administration. Additionally, support for regional regulatory requirements is provided by the regulatory affairs department.



First class service

DMP aims to create bright smiles and to provide the highest level of satisfaction, by closely cooperating with its customers and maintaining a high degree of flexibility for individual market needs. DMP successfully supplies the dental market worldwide achieving top quality and reliability through integrity, passion and commitment which are ingrained in DMP's culture.



CHROMATCHER

Shade guide at your fingertips!

DMP enhances its digital product range by presenting the first ever mobile shade guide application. *Chromatcher*

This unique app offers the user (dentist or technician) the ability to accomplish the restoration effortlessly. The Chromatcher is used to determine the tooth shade of the patient by taking a photo of the desired tooth area and matching it with DMP's shade system for restorative materials. Therefore, the user knows the required shade immediately through the Chromatcher avoiding the use of conventional shade guides. This process applies for all aesthetic restorations with DMP's restorative materials.

Download Chromatcher now, free at Apple Store! (available for iPhone, iPad & iPod touch)



DMP

ш

ഥ

COMPANY

SILICONE IMPRESSION MATERIALS





SILICONE IMPRESSION MATERIALS

									ndicati										
	Delivery System		Technique	Technique	Technique	Technique	Technique	Туре	Crown/Bridge Work	Inlays, Onlays	Functional Peripheries	Functional Impression	Reline Impressions	Case study models	Orthodontic Impressions	Impressions for removing prosthesis	Fabricating temporary impressions		Scannable
A - Silicon	es																		
Bonasil A+ Putty	I	One step putty/wash Two step putty/wash	•	\checkmark	\checkmark	\checkmark													
Bonascan Putty		One step putty/wash Two step putty/wash	•	✓	√	✓								√					
Bonasil A+ Heavy	ÎĀ	Single step Double step	•	√	√		√												
Bonascan Heavy	Î Ā	Single step Double step	•	\checkmark	\checkmark		\checkmark							√					
Bonasil A+ Mono	ÎĀ	Single step	•	✓	√		√												
Bonascan Mono	ÎĀ	Single step	•	✓	√		\checkmark							√					
Bonasil A+ Regular	Î	Single step Double Step	•	√	√			√											
Bonasil A+ Light HTS	Î	Single step Double Step	•	✓	√			√											
Bonasil A+ Light	Î	Single step Double Step	•	√	√			√											
Bonascan Light		Single step Double Step	•	\checkmark	\checkmark			\checkmark						√					
Bonasil A ⁺ Light Extra	Î	Single step Double Step	•	\checkmark	✓			✓											
Bonasil A ⁺ Alginate Free	İ	Alginate applications							√	√	√	√							
Bona-Bite	Î	Bite registrations											\checkmark						
Bona-Bite Air		Bite registrations											\checkmark						
Bonascan Bite Air	Î	Bite registrations											\checkmark	√					
Bona-Bite Crystal Vision		Transparent bite registrations											\checkmark						
C - Silicon	es																		
Bonasil Putty		One step putty/wash Two step putty/wash	•	✓	√	√													
Bonasil Light	-	One step putty/wash Two step putty/wash	•	✓	✓			√											
		-3 -			4														
Tray Material		Cartridge 5:1	Car	tridge 1	:1														
Wash Material	•	Jar	Tub	е															



A-SIL BON

MATERIAL

IMPRESSION

SILICONE

A-SILICONE **BONASIL** A+

BONASIL A+ is an addition curing vinyl polysiloxane silicone impression system (VPS) used to create impressions of the highest detail reproduction. The products are characterized by their hydrophilic properties, remarkable tear strength, dimensional accuracy and excellent resistance to permanent deformation.

Bonasil A+ impression materials are offered in various viscosities and delivery systems, in fast and regular setting times to cover any technique and application.



Reliability and exceptional properties place the Bonasil A⁺ materials amongst the top products in the world market. The quality control of DMP guarantees delivery of end product at its highest level while continuous research and development ensures enrichment and development of the impression material range.

A-SILICONE BONASIL A+ Putty



BONASIL A+ Putty is a kneadable very high viscosity vinyl polysiloxane (VPS) preliminary impression material formulated to guide the flowable Bonasil A+ wash materials highly accurately to the surfaces that are clinically important. It is also available in the 380ml (5:1) cartridge for those who prefer automatic dispensing over manual kneading.

ISO 4823 / ADA 19, Type 0 - putty consistency

Indications

Two step putty/wash technique One step putty/wash technique Functional peripheries Crown/bridge work Inlays, onlays

Characteristics - Advantages

- Ideal working time/setting time ratio
- Excellent consistency
- Exceptional dimensional stability
- Excellent elastic properties (high elastic memory)
- Remarkable tear strength
- Non-sticky

Technical Data

Ratio (base: catalyst)	1:1	1:1	5:1
Total working time	1'00"	2'00"	1'30"
Time in mouth	2'00"	2'30"	3'00"
Total setting time	3'00"	4'30"	4'30"
Setting description	Fast	Regular	-
Shore A hardness			72
Strain in compression (%)			1 - 4
Recovery from deformation	n (%)		>99.0
Linear dimensional change	ge (%)		<0.2
Tear strength (N/mm)			>6.0
Colour		Or	ange

Item No.

210101800 210101800F 210101380 210101030 Product Description

BONASIL A+ Putty Putty base 400g, Putty catalyst 400g, scoops-RS Putty base 400g, Putty catalyst 400g, scoops-FS Cartridge 380ml, mixers, o-ring Cartridge 380ml x 2, o-ring

DMP

IMPRESSION

SILICONE

A-SILICONE BONASIL A+ Heavy



BONASIL A+ Heavy is a high viscosity vinyl polysiloxane (VPS) preliminary impression material with excellent carving properties. The advanced surface technology (extra hydrophilic) along with the exceptional thixotropic characteristics makes Bonasil A+ Heavy an ideal impression tool in the hands of all dentists and especially the implantologists.

ISO 4823 / ADA 19, Type 1 – heavy bodied consistency

Indications
Indications

Single step impression technique Double step impression technique Crown/bridge work Inlay and onlay impressions Functional impressions

Characteristics - Advantages

- Ideal working time/setting time ratio
- Thixotropic
- Exceptional dimensional stability
- Excellent elastic properties
- Remarkable tear strength
- Extra hydrophilic
- Void free
- Non-sticky

Tec	:hnical Da	ıta	
Ratio (base: catalyst)	1:1	1:1	5:1
Total working time	1'00"	2'00"	1'30"
Time in mouth	2'00"	2'30"	3'00"
Total setting time	3'00"	4'30"	4'30"
Setting description	Fast	Regular	-
Shore A hardness			75
Strain in compression (%)		2 - 5
Recovery from deformati	ion (%)		>99.5
Linear dimensional chan	ige (%)		<0.2
Tear strength (N/mm)			>6.0
Colour			Yellow

Item No. Product Description

BONASIL A+ Heavy
210107380 Cartridge 380ml, mixers, o-ring
210107030 Cartridge 380ml x 2, o-ring
210107010 Cartridge 50ml x 2, mixing tips-RS
210107010F Cartridge 50ml x 2, mixing tips-FS
210107020 Cartridge 50ml x 4-RS
210107020F Cartridge 50ml x 4-FS



A-SILICONE BONASIL A+ Mono



BONASIL A⁺ Mono is a medium viscosity vinyl polysiloxane (VPS) impression material ideal for single impressions with the monophase technique. Its high elastic recovery in combination with its extra hydrophilicity ensures maximum accuracy for the impression.

ISO 4823 / ADA 19, Type 2 – medium bodied consistency

Indications

Single step impression technique Double step impression technique Crown/bridge work Inlay and onlay impressions Functional impressions

Characteristics - Advantages

- Ideal working time/setting time ratio
- Highly Thixotropic
- Ideal consistency for monophase technique
- Exceptional dimensional stability
- Excellent elastic properties
- Remarkable tear strength
- Extra hydrophilic
- Void free
- Non-sticky

Technical Data

Ratio (base: catalyst)	1:1	1:1	5:1
Total working time	1'00"	2'00"	1'30"
Time in mouth	2'00"	2'30"	3'00"
Total setting time	3'00"	4'30"	4'30"
Setting description	Fast	Regular	-
Shore A hardness			60
Strain in compression (%)			3 - 5
Recovery from deformation	n (%)		>99.5
Linear dimensional change	e (%)		<0.2
Tear strength (N/mm)			>6.0
Colour		ı	Purple



Item No. Product Description

BONASIL A+ Mono

	DUNASIL A MUNU
210104380	Cartridge 380ml, mixers, o-ring
210104030	Cartridge 380ml x 2, o-ring
210103100	Cartridge 50ml x 2, mixing tips-RS
210103100F	Cartridge 50ml x 2, mixing tips-FS
210103200	Cartridge 50ml x 4-RS
210103200F	Cartridge 50ml x 4-FS



IMPRESSION

SILICONE

A-SILICONE

BONASIL A+ Regular



BONASIL A⁺ Regular is a medium viscosity vinyl polysiloxane (VPS) impression material exhibiting high thixotropy and excellent hydrophilic properties. Bonasil A+ Regular is ideal for use in the two-step impression technique in combination with Bonasil A+ Putty or Bonasil A+ Heavy.

ISO 4823 / ADA 19, Type 2 – medium bodied consistency

Indications

Single step impression technique Double step impression technique Crown/bridge work Inlay and onlay impressions Reline impressions

Characteristics - Advantages

- Ideal working time/setting time ratio
- Highly Thixotropic
- Ideal consistency
- Exceptional dimensional stability
- Excellent elastic properties
- Remarkable tear strength
- Extra hydrophilic
- Void free
- Non-sticky

Technical	Data	
Total working time	1'00"	2'00"
Time in mouth	2'00"	2'30"
Total setting time	3'00"	4'30"
Setting description	Fast	Regular
Shore A hardness		55
Strain in compression (%)		3 - 5
Recovery from deformation	(%)	>99.7
Linear dimensional change	(%)	< 0.2
Tear strength (N/mm)		>5.0
Colour		Turquoise

Item No.

210105010 210105010F 210105020 210105020F

Product Description

BONASIL A+ Regular Cartridge 50ml x 2, mixing tips-RS Cartridge 50ml x 2, mixing tips-FS Cartridge 50ml x 4-RS Cartridge 50ml x 4-FS



A-SILICONE **BONASIL A+ Light HTS**



BONASIL A+ Light HTS is a low viscosity vinyl polysiloxane (VPS) impression material with exceptional characteristics. Its highly accurate impressions are a result of its superior wetability due to its extra hydrophilic properties. The extremely high tear strength values show resistance to tear guaranteeing superior impressions upon removal from the mouth.

ISO 4823 / ADA 19, Type 3 – light bodied consistency

Indications

Two step putty/wash technique One step putty/wash technique Crown/bridge work Inlay and onlay impressions Reline impressions

Characteristics - Advantages

- Exceptional tear strength
- Extra hydrophilic
- Outstanding precision in detail reproduction
- Highly Thixotropic
- Ideal consistency
- Exceptional dimensional stability
- Excellent elastic properties
- Void free
- Non-sticky

Technical Data

Total working time	1'15"	2'00"
Time in mouth	2'45"	4'00"
Total setting time	4'00"	6'00"
Setting description	Fast	Regular
Shore A hardness		62
Strain in compression (%)		3 - 5
Recovery from deformation	(%)	>99.9
Linear dimensional change	(%)	< 0.2
Tear strength (N/mm)		>6.5
Colour		Green

Item No. **Product Description**

210112010 210112010F 210112020

BONASIL A+ Light HTS Cartridge 50ml x 2, mixing tips-RS

Cartridge 50ml x 2, mixing tips-FS Cartridge 50ml x 4-RS 210112020F Cartridge 50ml x 4-FS

MATERIALS **IMPRESSION** SILICONE

A-SILICONE BONASIL A+ Light



BONASIL A+ Light is a low viscosity vinyl polysiloxane (VPS) correction impression material with optimized thixotropy to ensure easy handling. Its exceptional elastic recovery and dimensional change together with its extra hydrophilic properties are essential characteristics which provide high accuracy in impressions.

ISO 4823 / ADA 19, Type 3 – light bodied consistency

Indications

Two step putty/wash technique One step putty/wash technique Crown/bridge work Inlay and onlay impressions Reline impressions

Characteristics - Advantages

- Outstanding precision in detail reproduction
- Ideal working/setting time ratio
- Highly thixotropic
- Ideal consistency
- Exceptional dimensional stability
- Excellent elastic properties
- Very high tear strength
- Extra hydrophilic
- Void free
- Non-sticky

Technical Data

Total working time	1'00"	2'00"
Time in mouth	2'00"	2'30"
Total setting time	3'00"	4'30"
Setting description	Fast	Regular
Shore A hardness		50
Strain in compression (%)		3 - 5
Recovery from deformation	(%)	>99.9
Linear dimensional change	(%)	< 0.2
Tear strength (N/mm)		>4.8
Colour		Blue

Item No. **Product Description**

BONASIL A+ Light Cartridge 50ml x 2, mixing tips-RS 210102010

210102010F Cartridge 50ml x 2, mixing tips-FS 210102020 Cartridge 50ml x 4-RS 210102020F Cartridge 50ml x 4-FS

A-SILICONE **BONASIL A+ Light Extra**



BONASIL A+ Light Extra is an extra low viscosity vinyl polysiloxane (VPS) correction impression material with optimized thixotropy to ensure easy handling. Its exceptional elastic recovery and dimensional change together with its extra hydrophilic properties are essential characteristics which provide high accuracy in impressions.

ISO 4823 / ADA 19, Type 3 – light bodied consistency

Indications

Two step putty/wash technique One step putty/wash technique Crown/bridge work Inlay and onlay impressions Reline impressions

Characteristics - Advantages

- Outstanding precision in detail reproduction
- Ideal working/setting time ratio
- Highly thixotropic
- Ideal consistency
- Exceptional dimensional stability
- Excellent elastic properties
- Very high tear strength
- Extra hydrophilic
- Void free
- Non-sticky

Technical Data

Total working time	1'00"	2'00"
Time in mouth	2'00"	2'30"
Total setting time	3'00"	4'30"
Setting description	Fast	Regular
Shore A hardness		50
Strain in compression (%)		3 - 5
Recovery from deformation	(%)	>99.9
Linear dimensional change	(%)	< 0.2
Tear strength (N/mm)		>4.8
Colour		Green

Item No. **Product Description**

210119010 210119010F 210119020 210119020F

BONASIL A+ Light Extra Cartridge 50ml x 2, mixing tips-RS Cartridge 50ml x 2, mixing tips-FS Cartridge 50ml x 4-RS Cartridge 50ml x 4-FS

IMPRESSION

SILICONE

A-SILICONE **BONASIL** A+ Alginate Free



BONASIL A⁺ Alginate Free is a medium viscosity vinyl polysiloxane (VPS) impression material suitable for all alginate applications. The innovative A-Silicone Bonasil A+ Alginate Free combines the assets of VPS materials such as exceptional detail reproduction, elastic recovery, and dimensional stability with the properties of traditional alginates. It is also ideal for creating temporary crown and bridge impressions in preparation for the use of Bright Temporary C&B.

ISO 4823 / ADA 19, Type 2 – medium bodied consistency

Indications

Preliminary impressions Anatomic models Fabricating temporary crowns and bridges Opposing dentition Fabricating simple removable prosthetic restorations Orthodontic work Case study models

Characteristics - Advantages

- Outstanding dimensional stability
- Exceptional elastic recovery
- Highly thixotropic
- Ideal consistency
- Repourable
- Long shelf life
- Remarkable tear strength
- Void free
- Non sticky

Technical Data

Ratio (base: catalyst)	1:1	5:1
Total working time	1'00"	1'30"
Time in mouth	2'00"	3'00"
Total setting time	3'00"	4'30"
Shore A hardness		45
Strain in compression (%)		3 - 5
Recovery from deformation	(%)	>99.5
Linear dimensional change	(%)	< 0.2
Tear strength (N/mm)		>4.5
Colour		Sky Blue

Item No.

210109380

210109030 210109010 210109020

Product Description

BONASIL A+ Alginate Free Cartridge 380ml, mixers, o-ring Cartridge 380ml x 2, o-ring Cartridge 50ml x 2, mixing tips Cartridge 50ml x 4



A-SILICONE BONA-BITE





BONA-BITE is a medium viscosity vinyl polysiloxane (VPS) material specifically for bite registrations with extremely high Shore A hardness. Bona-Bite has a fast intraoral setting time and retains enough flexibility for easy trimming or cutting. The outstanding handling characteristics are essential for an accurate occlusal registration at the first attempt.

Indications

Making accurate occlusal registrations Standard bite registrations in the end bite position Key material for needle point registration Production of small model segments

Characteristics - Advantages

- Extremely high Shore A hardness
- Highly thixotropic
- Ideal consistency
- Excellent dimensional stability
- Remarkable tear strength
- Outstanding resistance to elastic rebound
- Void free
- Non sticky

Technical Data

Total working time	30"
Time in mouth	45"
Total setting time	1'15"
Shore A hardness	93
Linear dimensional change (%)	< 0.1
Tear strength (N/mm)	>6.0
Colour	Lavender

Item No.

210108020

Product Description BONA-BITE

210108010

Cartridge 50ml x 2, mixing tips Cartridge 50ml x 4

IMPRESSION

SILICONE

A-SILICONE **BONA-BITE Air**



BONA-BITE Air is a medium viscosity vinyl polysiloxane (VPS) material for bite registrations which is characterized by its mousse-like consistency making it very light on extrusion. Due to its high thixotropy (non drip) it ensures accurate placement and enhanced patient comfort. It is available in three setting times and retains enough flexibility for easy trimming or cutting.

Indications

Making accurate occlusal registrations Standard bite registrations in the end bite position

Key material for needle point registration Production of small model segments

Characteristics - Advantages

- Mousse-like consistency
- Very high Shore A hardness
- Highly thixotropic
- Ideal consistency
- Excellent dimensional stability
- Remarkable tear strength
- Outstanding resistance to elastic rebound
- Void free
- Non sticky

Tec	chnical Data		
100	innicat Data		
Total working time	30"	40"	1'30"
Time in mouth	45"	1'00"	3'00"
Total setting time	1'15"	1'40"	4'30"
Setting description	Superfast	Fast	Regular
Shore A hardness			85
Linear dimensional ch		< 0.1	
Tear strength (N/mm)			>6.0
Colour		1	ight Blue

ltem No.

Product Description



A-SILICONE **BONA-BITE Crystal Vision**



BONA-BITE Crystal Vision is a transparent vinyl polysiloxane (VPS) bite registration material with medium viscosity and is ideal for situations where a clear view of the area can optimize the accuracy of the impression. Its novel formulation produces highly transparent matrices through which the dentist can polymerize light-curing composites and, with this technique, greatly reduce the oxygen inhibition layer of the composite.

Indications

Making transparent occlusal registrations
Standard bite registrations in the end bite position
Key material for needle point registration
Production of small model segments
Silicone guide for composite restorations

Characteristics - Advantages

- Outstanding transparency
- Exceptional dimensional stability
- High final hardness
- Highly thixotropic
- Ideal consistency
- Very high tear strength
- Void free
- Non sticky

Technical Data

Total working time	1'00"
Time in mouth	2'00"
Total setting time	3'00"
Shore A hardness	70
Strain in compression (%)	3 - 5
Recovery from deformation (%)	>99.5
Linear dimensional change (%)	< 0.3
Tear strength (N/mm)	>7.0
Colour	Clear

Item No.

210111010 210111020

Product Description BONA-BITE Crystal Vision

Cartridge 50ml x 2, mixing tips
Cartridge 50ml x 4

DMP

IMPRESSION

SILICONE

SCANNABLE A-SILICONE BONASCAN

BONASCAN is a digitally scannable VPS (vinyl polysiloxane) impression system giving the user additional options when taking impressions. These scannable A-Silicones, available in 50ml and where applicable in 380ml cartridges, are designed specifically for CAD/CAM technology and are compatible with all dental scanners. By using Bonascan the user takes advantage not only of the ease of traditional impression taking techniques but also of digital technology. The impression is directly scanned without additional surface treatment (no use of reflective sprays) resulting in excellent digital images without errors. In addition, areas that are difficult to capture with intraoral scanners are reproduced precisely and reliably with the Bonascan impression materials.



The dentist benefits from all the advantages of digital technology and does not need to invest in an intraoral scanner since Bonascan impressions can be used with a desktop scanner at a fraction of the cost. Therefore, the user has improved workflow through instant communication and collaboration with the dental lab and has the ability of immediate feedback for enhanced treatment planning. Moreover, a digital record for insurance and future reference is established.



SC

SCANNABLE A-SILICONE BONASCAN Putty





BONASCAN Putty is a kneadable very high viscosity vinyl polysiloxane (VPS) preliminary impression material formulated to guide the flowable Bonascan wash materials highly accurately to the surfaces that are clinically important. It is ideal for dentists who prefer traditional impression methods but who want to take advantage of the benefits of digital technology. It is also available in the 380ml (5:1) cartridge for those who prefer automatic dispensing over manual kneading.

ISO 4823 / ADA 19, Type 0 - putty consistency

Indications

Two step putty/wash technique One step putty/wash technique Functional peripheries Crown/bridge work Inlays, onlays

Characteristics - Advantages

- Optically optimized scans
- Highly precision images because of powder free direct scanning
- Traditional impression techniques
- Process optimization (elimination of model pouring)
- Careful and magnified evaluation of the impression
- Increased efficiency in the collaboration with the laboratory
- Immediate feedback from the laboratory or specialist

Technical Data

Ratio (base: catalyst)	1:1	1:1	5:1
Total working time	1'00"	2'00"	1'30"
Time in mouth	2'00"	2'30"	3'00"
Total setting time	3'00"	4'30"	4'30"
Setting description	Fast	Regular	-
Shore A hardness			72
Strain in compression (%)			1 - 3
Recovery from deformation		>99.0	
Linear dimensional change	ge (%)		< 0.2
Tear strength (N/mm)			>6.0
Colour		(Orange

► Item No.

210124800 210124800F 210124380 210124030

Product Description

BONASCAN Putty
Putty base 400g, Putty catalyst 400g, scoops-RS
Putty base 400g, Putty catalyst 400g, scoops-FS
Cartridge 380ml, mixers, o-ring
Cartridge 380ml x 2, o-ring

IMPRESSION

SILICONE

SCANNABLE A-SILICONE BONASCAN Heavy





BONASCAN Heavy is a scannable high viscosity vinyl polysiloxane (VPS) preliminary impression material with excellent carving properties. It is ideal for dentists who prefer traditional impression methods but who want to take advantage of the benefits of digital technology. The advanced surface technology (extra hydrophilic) along with the exceptional thixotropic characteristics makes Bonscan Heavy an ideal impression tool in the hands of all dentists and especially the implantologists.

ISO 4823 / ADA No.19, Type 1 – heavy bodied consistency

Indications

Single step impression technique Double step impression technique Crown/bridge work Inlay and onlay impressions Functional impressions

Characteristics - Advantages

- Optically optimized scans
- Highly precision images because of powder free direct scanning
- Traditional impression techniques
- Process optimization (elimination of model pouring)
- Careful and magnified evaluation of the impression
- Increased efficiency in the collaboration with the laboratory
- Immediate feedback from the laboratory or specialist

lechnical	Data

Ratio (base: catalyst)	1:1	1:1	5:1
Total working time	1'00"	2'00"	1'30"
Time in mouth	2'00"	2'30"	3'00"
Total setting time	3'00"	4'30"	4'30"
Setting description	Fast	Regular	-
Shore A hardness			75
Strain in compression (%)			3 - 5
Recovery from deformation	n (%)		>99.5
Linear dimensional change	je (%)		< 0.2
Tear strength (N/mm)			>6.0
Colour			Blue

Item No.

210121020F

Product Description

BONASCAN Heavy
Cartridge 380ml, mixers, o-ring
Cartridge 380ml x 2, o-ring
Cartridge 50ml x 2, mixing tips-RS
Cartridge 50ml x 2, mixing tips-FS
Cartridge 50ml x 4 – RS
Cartridge 50ml x 4 – FS



SCANNABLE A-SILICONE BONASCAN Mono





BONASCAN Mono is a scannable medium viscosity vinyl polysiloxane (VPS) impression material especially designed for single impressions with the monophase technique. It is ideal for dentists who prefer traditional impression methods but who want to take advantage of the benefits of digital technology. The high elastic recovery of Bonascan Mono in combination with its extra hydrophilicity ensures maximum accuracy for the impression.

ISO 4823 / ADA No.19, Type 2 – medium bodied consistency

Indications

Single step impression technique Double step impression technique Crown/bridge work Inlay and onlay impressions Functional impressions

Characteristics - Advantages

- Optically optimized scans
- Highly precision images because of powder free direct scanning
- Traditional impression techniques
- Process optimization (elimination of model pouring)
- Careful and magnified evaluation of the impression
- Increased efficiency in the collaboration with the laboratory
- Immediate feedback from the laboratory or specialist

Technical Data

Ratio (base: catalyst)	1:1	1:1	5:1
Total working time	1'00"	2'00"	1'30"
Time in mouth	2'00"	2'30"	3'00"
Total setting time	3'00"	4'30"	4'30"
Setting description	Fast	Regular	-
Shore A hardness			60
Strain in compression (9	%)		3 – 5
Recovery from deforma	tion (%)		>99.5
Linear dimensional cha	nge (%)		<0.2
Tear strength (N/mm)			>6.0
Colour		F	urple

Item No.

Product Description

BONASCAN Mono
210123380 Cartridge 380ml, mixers, o-ring
210123030 Cartridge 380ml x 2, o-ring
210123010 Cartridge 50ml x 2, mixing tips-RS
210123010F Cartridge 50ml x 2, mixing tips-FS
210123020 Cartridge 50ml x 4 – RS
210123020F Cartridge 50ml x 4 – FS

DMP

IMPRESSION

SILICONE

SCANNABLE A-SILICONE BONASCAN Light



BONASCAN Light is a scannable low viscosity vinyl polysiloxane (VPS) correction impression material and is ideal for dentists who prefer traditional impression methods but who want to take advantage of the benefits of digital technology. The optimized thixotropy of Bonascan Light ensures easy handling. While its exceptional elastic recovery and dimensional change together with its extra hydrophilic properties are essential characteristics which provide high accuracy in impressions.

ISO 4823 / ADA No.19, Type 3 – light bodied consistency

Indications

Two step putty/wash technique One step putty/wash technique Crown/bridge work Inlay and onlay impressions Reline impressions

Characteristics - Advantages

- Optically optimized scans
- · Highly precision images because of powder free direct scanning
- Traditional impression techniques
- · Process optimization (elimination of model pouring)
- Careful and magnified evaluation of the impression
- Increased efficiency in the collaboration with the laboratory
- Immediate feedback from the laboratory or specialist

Technical Data

1'00"	2'00"
2'00"	2'30"
3'00"	4'30"
Fast	Regular
	50
	3 – 5
(%)	>99.9
(%)	< 0.2
	>6.0
	Yellow
	2'00" 3'00" Fast

Item No.

210122010 210122010F 210122020 210122020F

Product Description

BONASCAN Light Cartridge 50ml x 2, mixing tips-RS Cartridge 50ml x 2, mixing tips-FS Cartridge 50ml x 4-RS Cartridge 50ml x 4-FS

SCANNABLE A-SILICONE **BONASCAN Bite Air**



BONASCAN Bite Air is a scannable medium viscosity vinyl polysiloxane (VPS) material for bite registrations and is ideal for dentists who prefer traditional impression methods but who want to take advantage of the benefits of digital technology. Bonascan Bite Air is characterized by its mousse-like consistency making it very light on extrusion. Due to its high thixotropy (non-drip) it ensures accurate placement and enhanced patient comfort. It is available in three setting times and retains enough flexibility for easy trimming or cutting.

Indications

Making accurate occlusal registrations Standard bite registrations in the end bite position

Key material for needle point registration Production of small model segments

Characteristics - Advantages

- Mousse-like consistency
- · Optically optimized scans
- Highly precision images because of powder free direct scanning
- Traditional impression techniques
- · Process optimization (elimination of model pouring)
- · Careful and magnified evaluation of the impression
- Increased efficiency in the collaboration with the laboratory
- Immediate feedback from the laboratory or specialist

Technical Data

Total working time	30"	40"	1'30"
Time in mouth	45"	1'00"	3'00"
Total setting time	1'15"	1'40"	4'30"
Setting description	Superfast	Fast	Regular
Shore A hardness			85
Linear dimensional change	(%)		< 0.1
Tear strength (N/mm)			>6.0
Colour		Lig	ght Blue



Item No.

210120010 210120010M 210120010E 210120020

Product Description

BONASCAN Bite Air Cartridge 50ml x 2, mixing tips-SFS Cartridge 50ml x 2, mixing tips-FS Cartridge 50ml x 2, mixing tips-RS Cartridge 50ml x 4-SFS Cartridge 50ml x 4-FS 210120020M 210120020E Cartridge 50ml x 4-RS

IMPRESSION

SILICONE

C-SILICONE BONASIL Putty

C-SILICONE BONASIL Light



BONASIL Putty is a kneadable very high viscosity C-Silicone (condensation curing). It is based on polysiloxanes and is suitable as a base impression material to be used in conjunction with Bonasil Light.

ISO 4823 / ADA 19, Type 0 – putty consistency

Indications

Two step putty/wash technique One step putty/wash technique Functional peripheries Crown/bridge work Over impression for copperband impressions Occlusal registration

Characteristics - Advantages

- Kneadable Putty
- Smooth Handling
- Elastic Strength
- Easy withdrawal
- Non-sticky

-			_	
Tec	hni	22		ta
166		Jal	Ьα	L(a)

Total working time	1'15"
Time in mouth	2'30"
Total setting time	3'45"
Shore A hardness	65
Strain in compression (%)	2 - 5
Recovery from deformation (%)	>99.0
Linear dimensional change [%]	< 0.3
Colour	Yellow

Item No. 200101900	Product Description BONASIL Putty 900ml
200180001	BONASIL Introductory Kit Putty 400g, Light 60ml, Activator Paste 40ml
200180002	RONASII Kit

Putty 900ml, Light 140ml, Activator Paste 60ml



BONASIL Light is a C-Silicone, elastomeric, high precision correction impression material of low viscosity.

ISO 4823 / ADA 19, Type 3 – light bodied consistency

Indications

Two step putty/wash technique One step putty/wash technique Reline impressions

Characteristics - Advantages

- High dimensional stability
- Premium detail reproduction
- High tear strength

Technical Data

Total working time	1'30"
Time in mouth	4'00"
Total setting time	5'30"
Shore A hardness	50
Strain in compression (%)	2 - 8
Recovery from deformation (%)	>99.0
Linear dimensional change (%)	< 0.6
Colour	Blue



Product Description

200102140

BONASIL Light 140ml



C-SILICONE

BONASIL Activator Paste



BONASIL Activator Paste is a catalyst for the condensation curing materials. It is a bright red smooth paste and contrasts very well with the yellow colour of the putty and the blue of the light body.

Dosage

Bonasil Putty 1 scoop (18g)


MATERIALS

IMPRESSION

SILICONE

Bonasil Activator Paste

1 diameter of scoop (0.35g)



Bonasil Light 10cm (2.9g)

Bonasil Activator Paste

10cm (0.8g)

1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	2	3	4	5	6	7	8	9	10	11	12	13	14

Factors affecting working and setting times

Item No. Product Description **BONASIL** Activator Paste

40ml 200104040 200104060 60ml

Dosing

Overdosing of activator reduces working and setting times Underdosing of activator prolongs working and setting times

Application is at 23 °C \pm 2 °C / 73 °F \pm 4 °F, 50 \pm 5% relative humidity

Higher temperature reduces working and setting times Lower temperature prolongs working and setting times

LABORATORY A-SILICONE **BONASIL A+ Lab Putty**



BONASIL A+ Lab Putty is a vinyl polysiloxane (VPS) high precision, multiple use, laboratory addition curing putty with a mixing ratio of 1:1. It is characterized by its ease of handling and high detail reproduction.

Indications

Overcasts in dental laboratories Casting models Various dental technical procedures

Characteristics - Advantages

- Excellent consistency
- Exceptional dimensional stability
- Heat resistant
- High detail reproduction
- Non-sticky

Technical Data

Mixing time	30"
Total working time	2'00"
Total setting time	5'30"
Shore A hardness	85
Recovery from deformation (%)	>99.5
Linear dimensional change (%)	<0.2
Colour	Light Blue

Product Description Item No.

BONASIL A+ Lab 210106800 Putty base 400g. Putty catalyst 400g, scoops

210106001 Putty base 5Kg,

Putty catalyst 5Kg, scoops

210106002 Putty base 20Kg,

Putty catalyst 20Kg, scoops

IMPRESSION

SILICONE

LABORATORY A-SILICONE BONASIL A+ Gingival



BONASIL A⁺ Gingival is a medium viscosity vinyl polysiloxane material suitable for the reproduction of gingival masks on master models available in two types (hard and soft). It is a precise silicone which keeps its accuracy for days due to its outstanding dimensional stability. The highest aesthetic results can be obtained because of its natural gingival colour.

BONASEP is a separator which is applied to the contact surface of silicone materials to prevent adhesion between them. It is ideal for use in combination with Bonasil A+ Gingival for the reproduction of gingiva on models. It can be applied on all the Bonasil impression materials both addition and condensation curing and is used either directly on the dry impression or on the mould.

Colour

Indications

Quick and accurate gingival reproduction on master models

Characteristics - Advantages

- Outstanding aesthetic result
- Exceptional dimensional stability
- Very high tear strength
- Void free
- Non sticky

Consistency	Hard	Soft
Total working time	1'00"	1'00"
Total setting time	5'00"	5'00"
Shore A hardness	70	47
Linear dimensional change	e (%) < 0.3	<0.3
Tear strength (N/mm)	>6.5	>6.5

Technical Data

Gingiva Gingiva

Item No.	Product Description BONASIL A+ Gingival Soft
210114010	Cartridge 50ml x 2, mixing tips
210114020	Cartridge 50ml x 4
210118010 210118020	BONASIL A+ Gingival Hard Cartridge 50ml x 2, mixing tips Cartridge 50ml x 4
210115001	BONASEP 10ml



LABORATORY A-SILICONE BONASIL A+ Crystal Vision



BONASIL A+ Crystal Vision is a transparent laboratory vinyl polysiloxane (VPS) impression material with medium viscosity. Its novel formulation produces highly transparent matrices through which the lab technician can polymerize light-curing composites and detect the accurate waxing placement and the reproduction of composite.

Indications

Transparent matrix for creating masks for the moulding of light-curing resins

haracteristics	- Advantages

- Outstanding transparency
- Exceptional dimensional stability
- High final hardness
- Highly thixotropic
- Ideal consistency
- Very high tear strength
- Void free

• Composites free from oxygen inhibition layer

Technical Data

Total working time	1'00"
Total setting time	5'00"
Shore A Hardness	72
Recovery from deformation (%)	>99.5
Linear dimensional change (%)	< 0.3
Tear strength (N/mm)	>7.0
Colour	Clear



210117010 210117020 Product Description
BONASIL A+ Crystal Vision

Cartridge 50ml x 2, mixing tips Cartridge 50ml x 4

DMP

LABORATORY C-SILICONE BONALABOR Putty



BONALABOR Putty is a polysiloxane laboratory condensation curing silicone. It is a kneadable high viscosity putty for use by dental technicians and is offered with Bonasil Activator Paste as its catalyst.

Indications

Overcasts in dental laboratories Casting models Various dental technical procedures

Characteristics - Advantages

- Very good consistency
- Good final hardness
- Heat resistant
- Non-sticky

Technical Data

Shore A hardness	85	95
Mixing time	30"	30"
Total working time	2'00"	2'00"
Total setting time	6'00"	6'00"
Recovery from deformation (%)	>99.0	>99.0
Linear dimensional change (%)	< 0.4	< 0.4
Colour	Ligh	nt Grey

Item No.	Product Description
	BONALABOR Putty - 85
200106130	Putty 1,300g, scoop
200106001	Putty 5Kg, scoops
200106002	Putty 20Kg, scoops
	BONALABOR Putty - 95
200106131	Putty 1,300g, scoop
200106003	Putty 5Kg, scoops
200106004	Putty 20Ka. scoops

SILICONES ACCESSORIES

Item No.

Mixing pad	070100230	Mixing pad	20 sheets, plastic coated paper, dimensions 12cm x 9cm
	070000180	T-Mixer yellow	ratio 1:1, 4.2mm diameter
	070000186	T-Mixer pink	ratio 1:1, 5.4mm diameter
	070000183	T-Mixer teal	ratio 1:1, 6.5mm diameter
	070000231	Mixer yellow	ratio 5:1
	020070441	O-ring (bayonet)	
	070000217	Intra-oral tip transparent	teal & pink T-mixer
	070000213	Intra-oral tip yellow	yellow T-mixer

Product Description



AESTHETIC FILLING MATERIALS



AESTHETIC FILLING MATERIALS LIGHT CURING

Product	Composite Type	Class I	Class II	Class III	Class IV	Class V	Core Build-Up	Sealant	Liner	Temporary Crown and Bridge
Nanoceram Bright	Universal Composite	•	•	•	•	•				
Nanoceram Bright Flow	Flowable Composite			•	•	•		•	•	
Bright Light	Universal Composite	•	•	•	•	•				
Bright Light Flow	Flowable Composite			•	•	•		•	•	
Bright Posterior	Posterior Composite	•	•							
Bright Flow Core	Flowable Core Build-Up						•			
Pit & Fissure Sealant	Sealant							•		
Bright Cavity Liner	Liner								•	
Bright Temporary C&B	Temporary Crown & Bridge Material									•



ESTHETI

AESTHETIC FILLING MATERIALS NANOCERAM-BRIGHT





NANOCERAM-BRIGHT is a light curing nano-hybrid composite composed of a special blend of nano and micro fillers which produces a superior restorative. The highest aesthetic results have been achieved through the development of a sophisticated method for the integration of the nanoparticles in the resin matrix. These nanoparticles, of average particle size of 20 nm, assist in a quick polish after placement as well as ultralow wear.

A study, published in the Dental Advisor*, has shown that Nanoceram-Bright is among the products with the lowest water sorption and solubility. These key parameters ensure the durability and colour stability of the restoration.

*The Dental Advisor Research Report #50, July 2012

GLOSS

Gloss comparison

Conditions: Gloss was measured on composite samples after abrasion with 600 grit sandpaper and measured on a Horiba glossmeter at a 60 degree angle (ASTM D-523).





AESTHETIC FILLING MATERIALS NANOCERAM-BRIGHT

NANOCERAM-BRIGHT is characterized by its ease in sculpting with no slumping. Its low polymerization shrinkage due to high loading and particle size blending yields high marginal integrity, minimizing post operative sensitivity and eliminating micro leakage.

Indications

Anterior and posterior restorations Class I - V restorations Direct veneers

Characteristics - Advantages

- Excellent handling characteristics
- Excellent sculptability
- Low shrinkage-Very good marginal adaptation
- Extremely high polishability
- High resistance to wear
- Superior aesthetics
- Strongly radiopaque
- Non-sticky

Technical Data

Filled by weight (%)	80
Average filler particle size (nm)	700
Flexural strength (MPa)	138
Diametral tensile strength (MPa)	60
Water sorption (µg/mm³)	11





Photos courtesy of Dr. Ross Nash

DMP

3'

FILLING

ESTHETI

AESTHETIC FILLING MATERIALS NANOCERAM-BRIGHT

Item No. Product Description

7 SYRINGE KIT*

Nanoceram-Bright 4g x 7, Etching gel 3ml x 2, Single bonding 3ml x 2

brush holder, brush tips, syringe tips & mixing wells

160111205 Shades: A1-A2-A3-A3.5-B2-B3-C2

INTRODUCTORY KIT*

Nanoceram-Bright 4g x 4, Etching gel 3ml, Single bonding 3ml,

brush holder, brush tips, syringe tips & mixing wells

160111101 Shades: A2-A3-A3.5-B2

SMART KIT*

Nanoceram-Bright 4g, Etching gel 2ml, Single bonding 1ml, syringe tips

1601115XX for shades see below

4 SYRINGES*

Nanoceram-Bright 4g x 4

1601117XX for shades see below

RFFII I

Nanoceram-Bright 4g

1601114XX for shades see below

UNIT DOSE

Nanoceram-Bright 0.25g x 20

1601225XX for shades see below

AVAILABLE SHADES

- 01 shade A1
- 02 shade A2
- 03 shade A3
- 05 shade A3.5
- 06 shade A4
- 07 shade B1
- 08 shade B2
- 09 shade B3
- 12 shade C2
- 13 shade C3
- 16 shade D3
- 04 shade opaque A2
- 19 shade incisal
- 24 shade bleach extra
- 25 shade bleach



* Shades for kits can be selected by customers according to the needs of each local market

AESTHETIC FILLING MATERIALS BRIGHT POSTERIOR



BRIGHT POSTERIOR is a bulk fill light curing, radiopaque composite designed for posterior restorations. Its outstanding handling characteristics ensure fast and easy placement with excellent aesthetic results. Its advanced technology results in remarkable physical properties which enhance its strength and durability leading to a long-lasting restoration.

Indications

Direct restorations (Class I, II) including occlusal surfaces

Core build ups Splinting

Indirect restorations

Characteristics - Advantages

- Fast curing for 4mm increment
- Exceptional handling characteristics
- Excellent strength and wear resistance
- Very low polymerization shrinkage
- Non-sticky

Technical Data

Filled by weight (%)	81
Filler particle size (µm)	0.02 - 2.5
Flexural Strength (MPa)	143
Compressive strength (MPa)	335
Water sorption (µg/mm³)	9.8

Item No. 1801117XX	Product Description 4 SYRINGES Bright Posterior 4g x 4 for shades see below
1801114XX	REFILL Bright Posterior 4g for shades see below
1801225XX	UNIT DOSE Bright Posterior 0.25g x 20 for shades see below
01	AVAILABLE SHADES shade A1

shade A2

shade A3

02

03



AESTHETIC

AESTHETIC FILLING MATERIALS BRIGHT LIGHT



BRIGHT LIGHT is a versatile light curing composite both for anterior and posterior restorations. Its very good consistency guarantees ease in its application and its high gloss polishability increases the resistance to plaque. High filler loading results in excellent physical properties such as high diametral and flexural strength. Due to its very low water sorption it exhibits long lasting colour stability while maintaining its physical properties over a long period of time.

Indications

Anterior and posterior restorations Class I - V restorations Direct veneers

Technical Data

Filled by weight (%)	81
Average filler particle size (µm)	0.9
Flexural Strength (MPa)	130
Diametral tensile strength (MPa)	55
Water sorption (µg/mm³)	9.5

Characteristics - Advantages

- Great handling characteristics
- Very good marginal adaptation
- Very high fracture toughness
- High resistance to wear
- High polishability due to fine particles
- High aesthetic result-chameleon effect
- Strongly radiopaque
- Non-sticky



AESTHETIC FILLING MATERIALS BRIGHT LIGHT

12

13

shade C2

shade C3

shade D3

shade opaque A2

Item No.	Product Description 7 SYRINGE KIT* Bright Light 4.5g x 7, Etching gel 3ml x 2, Single bonding 3ml x 2 brush holder, brush tips, syringe tips & mixing wells Shades: A1-A2-A3-A3.5-B2-B3-C2
110110101	INTRODUCTORY KIT* Bright Light 4.5g x 4, Etching gel 3ml, Single bonding 3ml, brush holder, brush tips, syringe tips & mixing wells Shades: A2-A3-A3.5-B2
1101105XX	SMART KIT* Bright Light 4.5g, Etching gel 2ml, Single bonding 1ml, syringe tips for shades see below
1101107XX	4 SYRINGES* Bright Light 4.5g x 4 for shades see below
1101104XX	REFILL Bright Light 4.5g for shades see below
1101225XX	UNIT DOSE Bright Light 0.25g x 20 for shades see below
01 02 03 05 06 07 08 09	AVAILABLE SHADES shade A1 shade A2 shade A3 shade A3.5 shade A4 shade B1 shade B2 shade B3

* Shades for kits can be selected by customers according to the needs of each local market

AESTHETIC FILLING MATERIALS NANOCERAM-BRIGHT FLOW



NANOCERAM-BRIGHT FLOW is a light curing flowable version of the Nanoceram-Bright composite using the same nanohybrid technology to achieve optimum results. It is characterized by its superior aesthetics through its chameleon effect and high gloss polishability. This highly thixotropic product guarantees easy handling and precise application.

				м.			
100	di		<u>_</u>	я	\overline{a}	n	
		100	~ I	ш		ш	1

Anterior and limited posterior restorations Liner for class I and II restorations Sealing larger pits and fissures Repair of composite restorations and ceramic veneers

Characteristics - Advantages

- Excellent handling characteristics
- Excellent sculptability
- Low shrinkage-Very good marginal adaptation

4 SYRINGES

syringe tips

2 SYRINGES

syringe tips

syringe tips

RFFII I

Product Description

for shades see below

for shades see below

for shades see below

Nanoceram-Bright Flow 2g

Nanoceram-Bright Flow 2g x 4,

Nanoceram-Bright Flow 2g x 2,

- Extremely high polishability
- High resistance to wear
- Superior aesthetics
- Strongly radiopaque

Item No.

1701127XX

1701123XX

1701124XX

-		1 0	
Lac	hnic	וובוב	ata
ICC			ala

Filled by weight (%)	60
Average filler particle size (nm)	700
Flexural strength (MPa)	114
Diametral tensile strength (MPa)	51
Water sorption (µg/mm³)	15.5
Compressive strength (MPa)	280

Item No. **Product Description AVAILABLE SHADES** 01 shade A1 02 shade A2 03 shade A3 05 shade A3.5 07 shade B1 08 shade B2 04 shade opaque A2 24 shade bleach extra



AESTHETIC FILLING MATERIALS BRIGHT LIGHT FLOW



BRIGHT LIGHT FLOW is a light curing microhybrid low viscosity flowable composite with excellent handling characteristics. The rheological properties of the material allow it to flow while it is being syringed under pressure and to become non-drip when placed in the cavity.

Indications

Anterior and limited posterior restorations Liner for class I and II restorations Sealing larger pits and fissures Repair of composite restorations and ceramic veneers

Characteristics - Advantages

for shades see below

- Excellent flow characteristics thixotropic
- Very good marginal adaptation
- · High resistance to wear
- High polishability due to fine particles
- High aesthetic result
- Strongly radiopaque

1401123XX

Technical Data

Filled by weight (%)	56
Average filler particle size (µm)	0.9
Flexural strength (MPa)	110
Diametral tensile strength (MPa)	42
Compressive strength (MPa)	280

•	tem No.	Product Description SMART KIT	Item No.	Product Description REFILL
1	1401125XX	Bright Light Flow 2g, Etching gel 2ml, Single bonding 1ml, syringe tips for shades see below	1401124XX	Bright Light Flow 2g, syringe tips for shades see below
				AVAILABLE SHADES
		4 SYRINGES	01	shade A1
		Bright Light Flow 2g x 4,	02	shade A2
		syringe tips	03	shade A3
1	1401127XX	for shades see below	05	shade A3.5
			07	shade B1
		2 SYRINGES	08	shade B2
		Bright Light Flow 2g x 2, syringe tips	04	shade opaque A2



ESTHETI

AESTHETIC FILLING MATERIALS BRIGHT FLOW CORE



BRIGHT FLOW CORE is a dual curing flowable composite characterized by its high flexural and compressive strength. It is specially designed for areas where light is difficult to reach as it ensures polymerization in all parts due to its dual curing properties. It has great handling characteristics and its flow properties allow ideal adaptation to tooth structure.

Indications

Core build up Post cementation

Characteristics - Advantages

- Excellent flow consistency
- High flexural strength
- High compressive strength
- Dual cure (light and self cured)
- Direct application

	recimical Data	
Norking time		1'30"
Total self curing	time	4'30"
- - lexural strengt	h (MPa)	135
Compresive stre	ength (MPa)	350

Water sorption (µg/mm³)

120112319

Edge strength (N)

Item No.	Product Description CARTRIDGE Bright Flow Core-DC 25ml,
120112519	mixing tips, intra-oral tips Universal
	DOUBLE SYRINGE Bright Flow Core-DC 5ml,

Universal

mixing tips, intra-oral tips

AESTHETIC FILLING MATERIALS BRIGHT LIGHT HYBRID





BRIGHT LIGHT- Chemical Cure Hybrid Composite is a self curing material for anterior and posterior restorations consisting of a universal base paste and catalyst paste.

Indications

Anterior and posterior restorations Class I - V restorations Direct veneers

Characteristics - Advantages

- Easy to mix
- Great handling characteristics
- Very good marginal adaptation
- High resistance to wear
- Strongly radiopaque
- Non-sticky

Technical Data	
Working time	1'30"
Total self curing time	4'00"
Filled by weight (%)	79
Compressive strength (MPa)	300
Flexural strength (MPa)	120
Diametral tensile strength (MPa)	48
Shade	Universal

Item No. **Product Description** 120101000

28g KIT with BONDING Composite base paste14g, Composite catalyst paste14g Etching gel 3ml, Bonding base 3ml, Bonding catalyst 3ml,

120103028 28g BASIC KIT

> Composite base paste 14g. Composite catalyst paste 14g mixing pads & spatulas

mixing pads & spatulas

Item No. **Product Description** 120102000

14g KIT with BONDING Composite base paste 7g, Composite catalyst paste 7g Etching gel 2ml, Bonding base 1.5ml, Bonding catalyst 1.5ml, mixing pad & spatulas

120103014 14g BASIC KIT

> Composite base paste 7g. Composite catalyst paste 7g mixing pad & spatulas

110

12.5



ESTHETI

AESTHETIC FILLING MATERIALS SEALANT



PIT & FISSURE SEALANT is a fluoride releasing light curing sealant for primary or permanent teeth. It is used in preventive dentistry where it has been clinically proven that sealants are effective in the prevention of caries. The fluoride that is released offers an additional protection against caries and its ideal viscosity allows it to penetrate into the deepest pits and fissures to ensure total sealing.

Indications

Sealing of pits and fissures

Characteristics - Advantages

- Very low viscosity for easy application and deep penetration
- Fluoride releasing
- Bubble free
- Increased surface wear resistance due to inclusion of particles under 0.4 microns
- Opaque colour to facilitate visibility
- Radiopaque











Seal





Light Cure

Check Occlusion

ltem No. **Product Description**

SMART KIT

Pit & Fissure Sealant 2g x 2, Etching gel 3ml, syringe tips

150112518

150112318

2 SYRINGES

shade opaque

Pit & Fissure Sealant 2g x 2,

syringe tips shade opaque

REFILL Pit & Fissure Sealant 2g,

150112418

Item No. **Product Description**

syringe tips shade opaque

AESTHETIC FILLING MATERIALS BRIGHT TEMPORARY C&B



BRIGHT TEMPORARY C&B is a self-curing, moldable composite designated for the construction of temporary crown and bridge restorations. It offers an excellent aesthetic result and in combination with its optimal mechanical properties is an ideal tool for fabricating provisional restorations. It produces low temperatures during intra-oral setting which protect against damage to the dental pulp.

Indications

Temporary crowns and bridges Temporary inlays and onlays

Characteristics - Advantages

- Superior aesthetics
- Low temperature increase during polymerization
- Precise and easy fit of the temporary crown/ bridge due to low shrinkage
- Optimum elastic phase
- Long lasting and durable
- Extremely high polishability

Technical Data

Mixing ratio	1:1
Working time	60"
Curing time in mouth	1'00"- 2'00"
Flexural strength (MPa)	91
Compressive strength (MPa)	295
Polymerization heat (°C)	<40

Item No. **Product Description**

CARTRIDGE

Bright Temporary C&B 75g,

mixing tips

1201202XX for shades see below

> **DOUBLE SYRINGE** Bright Temporary C&B 7.5g,

mixing tips

1201201XX for shades see below

Item No. **Product Description**

AVAILABLE SHADES

01 shade A1 02 shade A2

03 shade A3

07 shade B1 25 shade bleach



ADHESIVES & LINERS



ADHESIVES & LINERS BRIGHT CAVITY LINER



BRIGHT CAVITY LINER is a flowable light curing material for enforcing the floor and walls of the cavity before the application of filling materials. It contains fluoride and is characterized by its strong mechanical properties. It is compatible with other commercially available restorative materials and cements.

Indications

Liner under all filling materials Pulp capping (indirect)

Characteristics - Advantages

- Fast and easy placement
- Fluoride releasing with antibacterial properties
- Protection of the pulp
- Increases resistance to post-operative sensitivity
- Strongly radiopaque





ADHESIVES & LINERS BONDING

ADHESIVES & LINERS ETCHING GEL



SINGLE BONDING is a one component light curing adhesive material for the bonding of enamel and dentin in aesthetic restorations. It combines primer and adhesives into a solution to be applied after etching enamel and dentin simultaneously (the total-etch wet-bonding technique).

It is a solvent free material and its mechanical properties show a bond strength to dentin of over 28MPa. It is compatible with composites of other brands.



BONDING BASE and BONDING CATALYST is a two component self curing adhesive system for aesthetic restorations ideal for use with self curing composites.



ETCHING GEL is an acid etchant for enamel and dentin with 37% phosphoric acid content. Its advanced formulation provides excellent thixotropic and handling characteristics making it ideal for etching enamel in the selective etch technique or dentin in the total etch technique. It has a distinctive blue colour facilitating application since it is clearly visible.

Characteristics - Advantages

- Thixotropic
- Easily rinsed without leaving residues
- · Clearly visible due to its colour

Item No. **Product Description**

130106003 Single Bonding 3ml (light cure) 130106005 Single Bonding 5ml (light cure)

130102003 Bonding Base 3ml (chemical cure) 130102005 Bonding Base 5ml (chemical cure) 130103003 Bonding Catalyst 3ml (chemical cure) 130103005 Bonding Catalyst 5ml (chemical cure)



Item No. **Product Description**

130101003 Etching Gel 3ml, syringe tips 130101010 Etching Gel 10ml, syringe tips 130101050 Etching Gel 50ml,

2ml syringes x 3, syringe tips



DHESIVES

ORTHODONTIC ADHESIVES



ADHESIVES & LINERS BRACKET ADHESIVE





ORTHODONTIC BRACKET ADHESIVE: LIGHT CURE is designed for bonding of metal and ceramic brackets on enamel. It contains fluoride for additional tooth protection. Its viscosity is high and thus prevents bracket drifting and reduces material waste. As it is light cured extra working time is ensured and therefore accurate bracket placement can be obtained.

Indications

Direct bonding of metal and ceramic brackets

Characteristics - Advantages

- Fast curing time (20 sec.)
- Extended working time
- Metal + ceramic brackets
- Prevents brackets drifting
- Less material wasteFluoride releasing
- Item No. Product Description

BRACKET ADHESIVE:

Light Cure

310110501 SMART KIT

Paste 3g, Primer 2g,

Etching gel 2ml, syringe tips

310110701 4 SYRINGE KIT

Paste 3g x 2, Primer 2g x 2,

syringe tips



AMALGAM FILLING MATERIALS



PROALLOY



PROALLOY is a dental silver alloy, rich in silver (70%), free of the corrosive gamma–2 (γ -2) phase (Sn₈Hg) and does not contain zinc. It is characterized by its high resistance to corrosion and therefore reduces the risk of marginal fracture. PROALLOY is a single composition alloy, which guarantees that each individual particle is an alloy of exactly the same composition. It consists of fine and ultra fine particles giving a strikingly smooth paste when amalgamated with mercury. Its handling characteristics and resistance to corrosion have included it amongst the best amalgams in the world market.

Chemical Composition

Silver (Ag) 70%, Tin (Sn) 18%, Copper (Cu) 12% Particle Shape-Spherical Ratio – Alloy : Hg = 1 : 1.01

Indications

Posterior restorations

Characteristics - Advantages

- Excellent handling characteristics
- High resistance to corrosion
- Long lasting luster
- Excellent marginal adaptation
- High resistance to wear

Technical Data

Compressive strength 1 hour (MPa)	220
Compressive strength 24 hour (MPa)	500
Static creep (%)	0.14
Dimensional change (%)	0.015
Working time	4'30"- 5'00"
Trituration time - Silamat mixer	8"



Capsule caps are colour coded to distinguish easily the spill sizes

Single Spill / No 1 - Yellow Double Spill / No 2 - Orange Triple Spill / No 3 - Red

Item No.	Product Description Proalloy Powder	Item No.	Product Description Proalloy Capsules
100120003	30g	100121005	No.1 x 50
100120005	50g	100122005	No.2 x 50
100120010	100g	100123005	No.3 x 50
100120025	250g	100121050	No.1 x 500
100120050	500g	100122050	No.2 x 500
		100123050	No.3 x 500



AMALGAM FILLING

AMALGAM FILLING MATERIALS ASTRALLOY



ASTRALLOY is a non gamma 2, spherical, single composition dental silver amalgam alloy for dental restorations. It is characterized by its need for 23% less mercury than the common 1:1 ratio when amalgamated. It does not contain zinc and therefore problems that are associated with moisture during the restoration process are eliminated. The alloy consists of spherical and irregular shaped spheroidal particles which ensure excellent condensability. This gives high marginal adaptation and marginal seal thus avoiding post operative sensitivity.

Chemical Composition

Silver (Ag) 60%, Tin (Sn) 28%, Copper (Cu) 12% Particle Shape-Spherical Ratio – Alloy: Hg = 1:0.78

Characteristics - Advantages

- 23% less mercury
- High resistance to corrosion
- Very good marginal adaptation
- High resistance to wear
- Excellent condensability

Indications

Posterior restorations

Technical Data

Compressive strength 1 hour (MPa)	220
Compressive strength 24 hour (MPa)	440
Static creep (%)	0.11
Dimensional change (%)	0.015
Working time	4'30"- 5'00"
Trituration time - Silamat mixer	10"



Capsule caps are colour coded to distinguish easily the spill sizes

Single Spill / No 1 - Yellow Double Spill / No 2 - Orange Triple Spill / No 3 - Red

Item No.	Product Description Astralloy Powder	Item No.	Product Description Astralloy Capsules
	Astralloy Powder		Asiralloy Capsules
100150003	30g	100151005	No.1 x 50
100150005	50g	100152005	No.2 x 50
100150010	100g	100153005	No.3 x 50
100150025	250g	100151050	No.1 x 500
100150050	500g	100152050	No.2 x 500
	3	100153050	No 3 x 500



AMALGAM FILLING MATERIALS MARVALLOY



MARVALLOY is a high copper dental silver alloy consisting of a constant ratio of spherical and lathe cut particles. As a result of this, great handling characteristics are obtained. Its high early strength together with its low static creep value lowers the risk of marginal fracture and assures long-lasting marginal integrity. It does not contain zinc thus eliminating problems due to moisture and avoids the corrosive gamma-2 (γ -2) phase. Tin dissolves in mercury and is preferentially bound to copper thus forming $Cu_{\delta}Sn_{\delta}$ which inhibits formation of the corrosive gamma -2 phase ($Sn_{\delta}Hg$).

Chemical Composition

Silver (Ag) 43%, Tin (Sn) 31.5%, Copper (Cu) 25.5% Particle Shape-Spherical /Lathe cut Ratio – Alloy: Hg = 1:0.99

Characteristics - Advantages

- Excellent condensability
- Smooth carving
- High resistance to wear
- Long lasting restoration
- Economical restorative

Indications

Posterior restorations

Technical Data

Compressive strength 1 hour (MPa)	235
Compressive strength 24 hour (MPa)	450
Static creep (%)	0.10
Dimensional change (%)	0.012
Working time	4'30"- 5'00"
Trituration time - Silamat mixer	12"



Capsule caps are colour coded to distinguish easily the spill sizes

Single Spill / No 1 - Yellow Double Spill / No 2 - Orange Triple Spill / No 3 - Red

Item No.	Product Description Marvalloy Powder	Item No.	Product Description Marvalloy Capsules
100110003	30g	100111005	No.1 x 50
100110005	50g	100112005	No.2 x 50
100110010	100g	100113005	No.3 x 50
100110025	250g	100111050	No.1 x 500
100110050	500g	100112050	No.2 x 500
		100113050	No.3 x 500





Manufacturer of High Quality Dental Materials



DMP Dental Industry S.A. (Headquarters)

Kalyvion Avenue Markopoulo Industrial Zone Attiki, 190 03, Greece Tel.: +30 22990 23041 e-mail: info@dmpdental.com

DMP USA (North America Division)

Tel.: 1-(908)963-8240 e-mail: info@dmpdental.us www.dmpdental.us

www.dmpdental.com







